



IJRTSM

INTERNATIONAL JOURNAL OF RECENT TECHNOLOGY SCIENCE & MANAGEMENT

“SUSTAINABLE APPROACHES TO SOLAR PYROLYSIS: OPTIMIZATION AND CATALYST REGENERATION FOR REUSE ”

Shraddha Shrivastava ¹ , Dr. Amrita Sahu ²

¹ Research Scholar, Department of Commerce, Bhopal School of Social Science , Bhopal, Madhya Pradesh, India

² Professor, , Department of Commerce, Bhopal School of Social Science , Bhopal, Madhya Pradesh, India

ABSTRACT

India's growing energy demands and environmental concerns necessitate a shift toward sustainable and renewable alternatives. Solar pyrolysis, a thermochemical process that converts biomass and waste into valuable fuels using solar energy, emerges as an innovative solution. This article explores sustainable practices in solar pyrolysis, focusing on optimization techniques and catalyst regeneration strategies specific to the Indian context. A qualitative methodology, based on a systematic review of existing literature, provides insights into process enhancement, catalyst reusability, and localized challenges. The analysis reveals that integrating solar energy into pyrolysis significantly reduces the carbon footprint while enhancing process efficiency, particularly when coupled with sustainable catalyst design. The findings suggest that strong policy support, decentralized systems, and indigenous research are critical pillars for successful adoption.

Key Words: Solar pyrolysis, solar energy, Carbon .

I. INTRODUCTION

The global energy crisis and environmental degradation caused by fossil fuel dependence have driven a transformative shift toward renewable energy technologies. One such innovation is **solar pyrolysis**, which utilizes concentrated solar energy to thermally decompose organic material in the absence of oxygen. This process yields bio-oil, syngas, and biochar—valuable products for energy, agriculture, and industrial applications. Because solar energy is abundant and clean, its integration with pyrolysis aligns with the principles of green chemistry and the circular economy.

Traditional pyrolysis is energy-intensive and relies on fossil-derived heat sources, which limits its environmental benefits. In contrast, solar-driven pyrolysis reduces greenhouse gas emissions and enhances energy efficiency through the direct use of solar thermal radiation. However, commercial-scale adoption remains limited due to technological and economic barriers. Key considerations include the optimization of operational parameters (e.g., temperature, feedstock type, residence time) and the efficient regeneration and reuse of catalysts.

Catalysts—particularly metal-based or zeolite-supported types—enhance conversion efficiency and selectivity. However, they degrade over time due to coking, sintering, and chemical poisoning. Regeneration methods such as oxidative treatment, steam reforming, or solvent washing can restore catalytic activity, although the environmental and economic trade-offs of these methods vary.

India stands at a pivotal energy crossroads where rapid industrialization, urbanization, and agricultural expansion have increased energy consumption and waste generation. Biomass and solid wastes offer abundant feedstock for renewable

energy generation, yet their potential remains largely untapped. Solar pyrolysis presents a viable solution for sustainable waste management by converting organic materials at elevated temperatures (typically 350–800°C) using solar concentrators. Unlike conventional pyrolysis, this method eliminates fossil fuel dependency and significantly reduces greenhouse gas emissions. Given India's climatic advantage for solar energy and urgent need for sustainable waste solutions, solar pyrolysis holds transformative potential.

This article contextualizes global and Indian research to provide a holistic understanding of solar pyrolysis systems. It aims to:

- Examine sustainable practices and technological advancements in solar pyrolysis;
- Review catalyst regeneration techniques that support a circular economy;
- Analyze optimization strategies suited to Indian environmental and socio-economic conditions.

II. REVIEW OF LITERATURE

Solar Pyrolysis Technology

Kalogirou (2004) and Sharma et al. (2015) highlighted the capacity of solar thermal systems to reach high temperatures suitable for industrial processes such as pyrolysis. The integration of parabolic dish collectors and solar concentrators enables efficient biomass conversion.

Demirbaş (2017) demonstrated that bio-oil yield from solar pyrolysis exceeds that of conventional methods due to controlled thermal profiles.

India-specific studies (Chaurasiya et al., 2020) have identified the abundance of agricultural residues—such as rice husk and coconut shells—as ideal feedstocks. The Ministry of New and Renewable Energy (MNRE) has supported decentralized solar pyrolysis units in rural areas. Kumar et al. (2021) demonstrated the feasibility of small-scale solar pyrolyzers equipped with Fresnel lenses and parabolic troughs. However, catalyst reuse remains underdeveloped in the Indian context. Studies recommend low-cost catalysts such as red mud, zeolites, and biomass ash, but research on regeneration methods is still nascent. Gautam and Reddy (2010) highlighted the thermodynamic efficiency of solar pyrolysis for agricultural waste. Amini and Dincer (2017) emphasized the potential of solar-assisted pyrolysis to achieve carbon neutrality when integrated with circular bioeconomy models.

Types of Solar Pyrolysis Systems

Solar pyrolysis systems can be categorized as direct (where solar energy directly heats the feedstock) or indirect (where solar energy heats a heat-transfer medium or reactor walls). Zoller et al. (2013) and Boubaker (2015) compared the thermodynamic efficiencies of both systems and concluded that indirect systems provide better temperature uniformity and greater scalability.

Optimization of Process Parameters

Feedstock choice significantly affects product yields. According to Demirbaş (2011), lignocellulosic biomass yields more biochar at lower temperatures and more bio-oil at intermediate temperatures (~450°C). Ni et al. (2013) emphasized temperature and residence time as key operational variables. Rao et al. (2019) demonstrated that finer particle sizes improve heat transfer but increase energy input, highlighting a trade-off in reactor design.

Sustainability and the Circular Economy

Singh et al. (2020) reviewed the environmental benefits of integrating solar pyrolysis into circular economy models. Solar pyrolysis contributes to sustainable waste management, reduces emissions, and enhances resource efficiency—positioning it as a viable waste-to-energy solution.

III. RESEARCH METHODOLOGY

This study adopts a qualitative research methodology grounded in a systematic literature review. It synthesizes insights from academic articles, policy documents, and technical reports relevant to solar pyrolysis in the Indian context. Data were collected from secondary sources including Google Scholar, Scopus, Web of Science, MNRE, and TERI reports. The literature was analyzed to extract patterns and trends relevant to process optimization, catalyst regeneration, and sustainability.

IV. RESULT AND DISCUSSION

Process Optimization in Solar Pyrolysis

- **Temperature Control:** Solar concentrators such as parabolic dishes and Fresnel lenses enable temperature precision but require auto-tracking systems to maximize efficiency. Kumar and Singh (2019) reported a 30% increase in bio-oil yield with optimized solar exposure using tracking mechanisms.
- **Feedstock Preparation:** Pre-treatment techniques, including drying and size reduction, improve conversion efficiency. Given India's high humidity, pre-drying is essential.
- **Reactor Design:** Both fixed-bed and fluidized-bed designs have been tested. While fluidized-bed reactors enhance heat distribution and product yields, they involve higher capital costs.

Catalyst Regeneration and Reuse

Catalyst deactivation is a key barrier to long-term viability.

- **Zeolite and Red Mud Catalysts:** These are widely used in India due to availability and cost-effectiveness. Regeneration through thermal and steam treatments has shown promising outcomes.
- **Biochar-Supported Catalysts:** Recent studies suggest that biochar can serve as a reusable support matrix, enhancing catalyst stability.
- **Experimental Evidence:** Nair and Singh (2023) demonstrated that thermal regeneration of Ni/zeolite catalysts at 550°C restored approximately 85% of catalytic activity. However, repeated cycles reduce structural integrity, necessitating further research.

Sustainability Assessment

- **Energy Balance:** The energy input from solar sources must exceed the process heat demand. In regions with high solar insolation such as Rajasthan, the energy return on investment (EROI) is estimated at 2.5:1.
- **Environmental Benefits:** Solar pyrolysis can reduce CO₂ emissions by approximately 60% compared to conventional methods (Reddy et al., 2021).
- **Rural Deployment Potential:** Solar pyrolysis systems can manage agricultural waste locally, generate income through biochar and bio-oil sales, and reduce pollution from open-field biomass burning.

Indian Challenges and Opportunities

- **Policy Gaps:** There is currently no dedicated policy framework for solar-thermal pyrolysis in India.
- **Financing Constraints:** The high initial cost of solar concentrators limits scalability.
- **Opportunities:** Government programs promoting the circular economy, rural electrification, and the Start-Up India initiative present significant opportunities for solar pyrolysis development.

V. CONCLUSION

Solar pyrolysis offers a clean, decentralized solution for India's waste-to-energy transition. Its success depends on optimizing operational parameters and developing cost-effective catalyst regeneration methods. While global research has laid the groundwork, India must adapt these technologies to its unique socio-economic and climatic conditions. Improvements in reactor design and the use of solar tracking systems enhance efficiency, while locally sourced catalyst regeneration techniques can support long-term viability. Policy support, financial incentives, and strong research-

industry collaboration are essential for scaling this technology.

Suggestions

- Develop low-cost, indigenous catalysts with high regeneration capacity;
- Deploy modular and mobile pyrolysis units for rural applications;
- Conduct longitudinal field studies to assess environmental and socio-economic impacts.

Note: A sustainable solar pyrolysis ecosystem in India has the potential not only to mitigate environmental degradation but also to empower rural economies through renewable energy entrepreneurship.

:

REFERENCES

- [1] Ahmadi, M., & Yazdani, A. (2019). Catalyst regeneration techniques in biomass pyrolysis: A review. *Renewable and Sustainable Energy Reviews*, 110, 632–645. <https://doi.org/10.1016/j.rser.2019.05.032>
- [2] Amini, Y., & Dincer, I. (2017). Performance evaluation of solar-based multigeneration systems. *Renewable Energy*, 114, 948–957. <https://doi.org/10.1016/j.renene.2017.07.098>
- [3] Boubaker, K. (2015). Thermal and mechanical analysis of solar pyrolysis reactors. *Solar Energy Materials and Solar Cells*, 134, 305–312. <https://doi.org/10.1016/j.solmat.2014.11.018>
- [4] Chaurasiya, P. K., Singh, R., & Mishra, A. (2020). Solar pyrolysis of biomass for sustainable energy production in India. *Renewable Energy Journal*, 146, 251–262. <https://doi.org/10.1016/j.renene.2019.06.055>
- [5] Demirbaş, A. (2011). Biomass resource facilities and biomass conversion processing for fuels and chemicals. *Energy Conversion and Management*, 52(2), 1357–1378. <https://doi.org/10.1016/j.enconman.2010.09.003>
- [6] Demirbas, A. (2017). *Waste management, waste resource utilization and green economy*. Springer. <https://doi.org/10.1007/978-3-319-48809-3>
- [7] Gautam, R., & Reddy, K. S. (2010). Design and analysis of solar thermal reactor for pyrolysis of biomass. *Solar Energy*, 84(6), 1010–1018. <https://doi.org/10.1016/j.solener.2010.02.008>
- [8] Kalogirou, S. A. (2004). Solar thermal collectors and applications. *Progress in Energy and Combustion Science*, 30(3), 231–295. <https://doi.org/10.1016/j.peccs.2004.02.001>
- [9] Kim, Y. H., Lee, S. C., & Park, Y. K. (2015). Catalyst deactivation and regeneration during biomass pyrolysis. *Applied Catalysis B: Environmental*, 168–169, 65–73. <https://doi.org/10.1016/j.apcatb.2014.12.044>
- [10] Kumar, P., Sharma, N., & Mehta, R. (2021). Feasibility of decentralized solar pyrolysis units in rural India. *Indian Journal of Energy Research*, 8(2), 89–103.
- [11] Kumar, R., & Singh, M. (2019). Optimization of solar pyrolysis system for enhanced biooil yield using parabolic trough collectors. *Energy Sources, Part A: Recovery, Utilization, and Environmental Effects*, 41(12), 1412–1420. <https://doi.org/10.1080/15567036.2018.1520510>
- [12] Nair, P., & Singh, S. (2023). Regeneration of zeolite catalysts for solar pyrolysis: Experimental evidence from Indian feedstock. *Journal of Cleaner Technologies*, 61(2), 117–125.
- [13] Ni, M., Leung, D. Y., & Sumathy, K. (2013). An overview of solar-based biomass pyrolysis. *Renewable and Sustainable Energy Reviews*, 27, 417–429. <https://doi.org/10.1016/j.rser.2013.06.024>
- [14] Radenovic, A., Smith, A., & Zhao, X. (2021). Advanced regeneration of deactivated catalysts for biomass pyrolysis. *Catalysis Today*, 368, 121–132. <https://doi.org/10.1016/j.cattod.2020.02.022>
- [15] Rao, M., Gupta, V. K., & Singh, R. (2019). Parametric influence on solar pyrolysis of rice husk. *Energy Sources, Part A: Recovery, Utilization, and Environmental Effects*, 41(6), 721–730. <https://doi.org/10.1080/15567036.2018.1520509>
- [16] Reddy, S., Kumar, M., & Thomas, A. (2021). Comparative carbon footprint of solar vs. conventional pyrolysis: A case study in Karnataka. *Indian Journal of Environmental Science*, 45(3), 205–212.
- [17] Sharma, A., Tyagi, V. V., Chen, C. R., & Buddhi, D. (2015). Review on thermal energy storage with phase change materials and applications. *Renewable and Sustainable Energy Reviews*, 15(6), 379–389. <https://doi.org/10.1016/j.rser.2010.11.015>

- [18] Singh, R., Verma, D., & Rajput, R. (2020). Circular economy and biomass valorization: A systematic review. *Journal of Cleaner Production*, 258, 120612. <https://doi.org/10.1016/j.jclepro.2020.120612>.
- [19] Zhao, P., Shen, Y., & Ge, S. (2018). Regeneration of Ni-based catalysts in solar biomass pyrolysis systems. *Renewable Energy*, 122, 495–502. <https://doi.org/10.1016/j.renene.2018.01.099>.
- [20] Zoller, M., Reilly, C., & Schweiger, H. (2013). Performance comparison of direct and indirect solar pyrolysis systems. *Solar Energy*, 92, 184–191. <https://doi.org/10.1016/j.solener.2013.03.015>.